

SDS Report

No.: CANEC1216097701

Date: 30 Nov 2012

Page 1 of 1

SGS Job No.

: CP12-056341-GZ

Sample Name

Valve Regulated Lead Acid Battery

End Uses

Telecom system, UPS, Solar system, Standby power, etc

Composition/Ingredient of sample (as per client submission)

See Section 3 Composition/information on ingredients on the SDS report

Job Receiving Date

26 Nov 2012

SDS Preparation Period

26 Nov 2012 - 30 Nov 2012

Service Requested

Safety Data Sheet (SDS) for the sample with submitted composition.

Summary

As per request, the contents and formats of the SDS are prepared in accordance with European Commission Directives 67/548/EEC, 1999/45/EC,

Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and

Regulation (EU) No 453/2010, and is provided per attached.

Signed for and on behalf of SGS-CSTC Ltd.

Allen Xie

Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemosfication and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of from expressing all their rights, and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any uparthorized alteration to gerry or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Revision: 30.11.2012

Safety Data Sheet 1907/2006/EC, 1272/2008/EC

Printing date 30.11.2012

I Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Valve Regulated Lead Acid Battery
- · Article number: Not available
- · Registration number: Not avauable
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Telecom system, UPS, Solar system, Standby power, etc
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:
- · Name:
- · Full address:
- · Phone numver.
- · FAX:
- · Further information obtainable from:
- · Emergency telephone number:
- · Email:
- · Reference wanter. C1 12-030341-GZ; CANEC1216097701

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 1A

H360Df May damage the unborn child. Suspected of damaging fertility.

STOT RE 2

H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 corrosion

Skin Corr. 1A

H314 Causes severe skin burns and eye damage.



GHS09 environment

Aquatic Acute 1 H

H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410

Very toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4

H302 Harmful if swallowed.

Acute Tox. 4

H332 Harmful if inhaled.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



T; Toxic

R61:

May cause harm to the unborn child.



C; Corrosive

R35:

Causes severe burns.

(Contd. on page 2)

Printing date 30.11.2012 Revision: 30.11.2012

Trade name: Valve Regulated Lead Acid Battery

(Contd. of page 1)

×

Xn; Harmful

R62-20/22-40-48/20/22:

Possible risk of impaired fertility. Harmful by inhalation and if swallowed. Limited evidence of a carcinogenic effect. Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.

*

N; Dangerous for the environment

R50/53:

Very toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

R33:

Danger of cumulative effects.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of Directive 67/548/EEC, 1999/45/EC and Regulation (EC) No. 1272/2008.

· Classification system:

The classification is according to the latest edition of the Directive 67/548/EEC, 1999/45/EC and Regulation (EC) No. 1272/2008, and extended by company and literature data.

· Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms









GHS05

5 GHS07

GHS08

GHS09

· Signal word Danger

· Hazard-determining components of labelling:

lead dioxide

sulphuric acid

lead

poly (acrylonitrile-co-butadiene-co-styrene)

· Hazard statements

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H360Df May damage the unborn child. Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Contains lead. Should not be used on surfaces liable to be chewed or sucked by children.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 3)

Printing date 30.11.2012 Revision: 30.11.2012

Trade name: Valve Regulated Lead Acid Battery

· vPvB: Not applicable.

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture of the substances listed below with nonhazardous additions.

For the wording of listed risk phrases refer to section 16.

Dangerous components: CAS: 1309-60-0	lead dioxide	31,29%
EINECS: 215-174-5 EU number: 082-001-00-6	T Repr. Cat. 1, 3 R61; Xn R62-20/22; N R50/53	31,2770
	Repr. 1A, H360Df; STOT RE 2, H373;	
CAS: 7439-92-1 EINECS: 231-100-4	lead ☐ T R61; Xn R62-40-48/20/22; N R50/53 R33 ③ Repr. 1A, H360Df; STOT RE 2, H373; △ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; △ Acute Tox. 4, H302; Acute Tox. 4, H332	30,0%
CAS: 7664-93-9 EINECS: 231-639-5 EU number: 016-020-00-8	sulphuric acid C R35 Skin Corr. 1A, H314	24,6%
AS: 9003-56-9 poly (acrylonitrile-co-butadiene-co-styrene) Xn R22; Xi R36/37/38 ••• Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335		10,2%
CAS: 7440-50-8	copper R53	0,2%

	AGM clapboard	2,6%
	Expoxide-resin glue	0,6%
	Red & black marking glue	0,4%
25038-36-2	Poly(ethylene-co-propylene-co-5-methylene-2-norbornene)	0,11%

Remark

Classification of AGM clapboard, Expoxide-resin glue, Red & black marking glue is not covered by company database and is declared by client as nonhazardous.

4 First aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.

(Contd. on page 4)

Printing date 30.11.2012 Revision: 30.11.2012

Trade name: Valve Regulated Lead Acid Battery

(Contd. of page 3)

· Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2 powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water sourse.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling:

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · Storage:
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s): No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

1309-60-0 lead dioxide

PEL(USA) 0,05 mg/m^3

as Pb; See 29 CFR 1910,1025

(Contd. on page 5)

Printing date 30.11.2012 Revision: 30.11.2012

Trade name: Valve Regulated Lead Acid Battery

	(Contd. of p	
REL (USA)	0,05* mg/m³ as Pb;*8-hr TWA, Blood Pb<0,06mg/100g whole blood	
TLV (USA)	0,05 mg/m³ as Pb; BEI	
MAK (Germany)) vgl.Abschn.XIV	
7439-92-1 lead		
PEL (USA)	0,05* mg/m³ *see 29 CFR 1910,1025	
REL (USA)	0,05 mg/m³ excluding lead arsenate; See Pocket Guide App. C	
TLV (USA)	0,05* mg/m³ *and inorganic compounds, as Pb; BEI	
MAK (Germany)	vgl.Abschn.XII	
7664-93-9 sulphi	uric acid	
IOELV (EU)	0.05 mg/m^3	
PEL (USA)	1 mg/m^3	
REL (USA)	1 mg/m^3	
TLV (USA)	0,2* mg/m³ *as thoracic fraction	
AGW (Germany)		
9003-56-9 poly (d	acrylonitrile-co-butadiene-co-styrene)	
TLV (USA)	10* mg/m³ *nuisance particulates(total)	
7440-50-8 coppe	r	
PEL (USA)	1* 0,1** mg/m³ as Cu *dusts and mists **fume	
REL (USA)	1* 0,1** mg/m³ as Cu *dusts and mists **fume	
TLV (USA)	1* 0,2** mg/m³ *dusts and mists; **fume; as Cu	
MAK (Germany)	$0.1E mg/m^3$	

- · DNELs: Not available
- · PNECs: Not available
- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure
- · Personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 6)

(Contd. of page 5)

Safety Data Sheet 1907/2006/EC, 1272/2008/EC

Printing date 30.11.2012 Revision: 30.11.2012

Trade name: Valve Regulated Lead Acid Battery

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Upper:

· Density:

· Oxidizing properties:

· Vapour pressure:

Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and · General information	chemical properties
· Appearance	
Form:	Cuboid battery
Colour:	Black
· Odour:	Odourless
· Odour threshold:	Not available
· pH-value:	Not available
· Change in condition	
Melting point/Melting range:	Not available
Boiling point/Boiling range:	110 °C
· Freezing point:	Not available
· Flash point:	259 °C
· Flammability (solid, gaseous):	Not available
· Auto-Ignition temperature:	580 °C
· Decomposition temperature:	Not available
· Self-igniting:	Product is not selfigniting.
Explosive properties:	Risk of explosion by shock, friction, fire or other sources of ignition
Explosion limits	
Lower:	Not available
*7	

Not available

Not available

Not available

Not available

(Contd. on page 7)

Printing date 30.11.2012 Revision: 30.11.2012

Trade name: Valve Regulated Lead Acid Battery

(Contd. of page 6)

Relative density: Not available
Vapour density: Not available
Evaporation rate: Not available

· Solubility in / Miscibility with

water: Not available

· Partition coefficient (n-octanol/water): Not available.

· Viscosity

Dynamic: Not available.
Kinematic: Not available

• Other information: Melting point / range: Lead 327.4°C

Solubility in water: 100% (Electrolyte)

10 Stability and reactivity

- · Reactivity: Data not avaiable
- · Chemical stability: Data not available
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification: Not applicable
- · Primary irritant effect
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Toxicokinetics, metabolism and distribution: No further relevant information available
- · Acute effects (acute toxicity, irritation and corrosivity): No further relevant information available
- · Repeated dose toxicity: No further relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

No further relevant information available.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Behaviour in environmental systems: No further relevant information available
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Remark: Very toxic for fish

(Contd. on page 8)

Printing date 30.11.2012 Revision: 30.11.2012

Trade name: Valve Regulated Lead Acid Battery

(Contd. of page 7)

· Additional ecological information

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · ADR, IMDG, IATA	UN2800
· UN proper shipping name · ADR	2800 BATTERIES, WET, NON-SPILLABLE,
· IMDG · IATA	ENVIRONMENTALLY HAZARDOUS BATTERIES, WET, NON-SPILLABLE, MARINE POLLUTANT BATTERIES, WET, NON-SPILLABLE
· Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class · Label	8 Corrosive substances.
· Packing group · ADR, IMDG, IATA	Not applicable
· Environmental hazards	Product contains environmentally hazardous substances: lead dioxide, lead
· Marine pollutant:	Yes
· Special precautions for user: · Danger code (Kemler):	Warning: Corrosive substances.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.
	(Contd. on page 9)

Printing date 30.11.2012 Revision: 30.11.2012

Trade name: Valve Regulated Lead Acid Battery

(Contd. of page 8)

· UN "Model Regulation":

UN2800, BATTERIES, WET, NON-SPILLABLE, ENVIRONMENTALLY HAZARDOUS, 8

15 Regulatory information

- $\cdot \textit{Safety, health and environmental regulations/legislation specific for the substance or \textit{mixture} \\$
- MAK(German Maximum Workplace Concentration)

 1309-60-0
 lead dioxide
 2

 7439-92-1
 lead
 2

 7664-93-9
 sulphuric acid
 4
- · National regulations
- · Waterhazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · SVHC Candidate List of REACH Regulation Annex XIV Authorisation (18/6/2012) None of the igredients is listed
- · REACH Regulation Annex XVII Restriction (19/9/2012) None of the igredients is listed
- · REACH Regulation Annex XIV Authorisation List (14/2/2012) None of the igredients is listed
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

- · Relevant phrases
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H360Df May damage the unborn child. Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- R20/22 Harmful by inhalation and if swallowed.
- R22 Harmful if swallowed.
- R33 Danger of cumulative effects.
- R35 Causes severe burns.
- R36/37/38 Irritating to eyes, respiratory system and skin.
- R40 Limited evidence of a carcinogenic effect.
- R48/20/22 Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R53 May cause long-term adverse effects in the aquatic environment.
- R61 May cause harm to the unborn child.
- R62 Possible risk of impaired fertility.

DISCLAIMER OF LIABILITY

The information in this MSDS/SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in anyway connected with the handling, storage, use or disposal (Contd. on page 10)

Printing date 30.11.2012 Revision: 30.11.2012

Trade name: Valve Regulated Lead Acid Battery

(Contd. of page 9)

of the product. This MSDS/SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS/SDS information may not be applicable.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

End of document

EU -